

GAOKEview Interactive Flat Panel

E series

E3 CVT982-Classic



Zero Bonding
Technology



Full-function
Type-C



Multi-tasking
Android



Dual colors pen



4K Camera



Auto-backlight



Touch lock



Screen Mirror

Display Parameter

Size	86inch	98inch	110inch
Backlight Type	D-LED	D-LED	D-LED
Panel Brand	BOE/LG	BOE/LG	BOE/LG
Resolution(pixels)	3840x2160	3840x2160	3840x2160
Brightness	≥400cd/m2(typ.)	≥400cd/m2(typ.)	≥400cd/m2(typ.)
Aspect Ratio	16:9	16:9	16:9
Contrast Ratio	1600:1/1200:1	1600:1/1200:1	1600:1/1200:1
Response Time	6ms (typ.)	6ms (typ.)	6ms (typ.)
Pixel Pitch (mm)	0.4935(H)x0.4935(V)	0.5622(H)x0.5622(V)	0.4935(H)x0.4935(V)
Refreshing Frequency	60Hz	60Hz	60Hz
Viewing Angle	178°(H)/178°(V)	178°(H)/178°(V)	178°(H)/178°(V)
Life Time	50,000 Hrs(min.)	50,000 Hrs(min.)	50,000 Hrs(min.)
View Area (mm)	1650.24(H)x928.26(V)	2158.848(H)x1214.352(V)	2436.48(H)×1370.52(V)
Color Gamut (X% NTSC)	72%(NTSC)	72%(NTSC)	72%(NTSC)
Colorfulness	1.07B(10 bit)	1.07B(10 bit)	1.07B(10 bit)

System

Chipset	Amlogic T982
CPU Architecture&Working Frequency	Quad-core A55, 1.8GHz for Standard, 2GHz for Max
GPU	Mali G52MP2
RAM	Standard: 4GB DDR4
ROM	Standard: 32GB
OS	Android 11.0
Power Requirements	AC 100 V ~ 240 V, 50/60 Hz
86" Power Consumption Without OPS	440W
98" Power Consumption Without OPS	610W
110" Power Consumption Without OPS	760W
Standby Condition	< 0.5W
Audio Output Power	15W*2
Subwoofer(Optional)	20W*1

Front Interface

Public USB3.0	x2
Touch USB	x1
HDMI IN	x1
Type-C(Full Function)	x1

Rear Interface

RJ45	x1
AUDIO IN	x1
EARPHONE(3.5mm AUDIO OUT)	x1
VGA IN	x1
SPDIF OUT	x1
RS232	x1
USB 2.0	x1
USB 3.0	x1
HDMI IN 1(EARC)	x1
HDMI IN 2(UART)	x1
TOUCH USB	x1
MIC IN	x1

Network

Wired Network	Support 10/100Mbps
WiFi Standard	Built-in dual-channel WIFI, support AP hotspot
WiFi Protocol	WiFi:802.11 b/g/n AP:802.11 a/b/g/n/ac
WiFi Working Frequency	WiFi:2.4GHz AP:2.4G&5GHz
WiFi 6	Standard
WiFi Working Distance	0~12m

Bluetooth

Standard	Built-in
Version	5.0
Working Frequency	2.4Hz
Working Distance	0~12m

Camera(Optional)

Quantity	1
Pixel	13MP/48MP
Position	Middle Top
Field of vision	DFOV: 100° HFOV::91.9° VFOV:60°
Resolution	Support 4K (under Windows)

Microphone(Optional)

Quantity	8
Pick-up Distance	0-8m
View Angle	0°~180°

Touch Parameter

Touch Type	Infrared Touch Frame
Surface Protection	4mm toughened glass
Infrared Touch	20 Points/40 Points(Optional)
Interpolation Resolution	32768 x32768
Response Time	≤6ms
Input Mode	Finger or Pen
Theory Clicks	Unlimited
Minimum Touch Object	USB+RS232
Connect Type	4.75~5.25V

Structure Parameter

Size	86inch	98inch	110inch
Product Size(L x H x D)	1953.2x1151.6x128.5mm	2216x1303.4x133.9mm	2500.6x1463.8x130mm
Package Size(L x H x D)	2083x1290x210mm	2356x1441.5x210mm	2684.6x1625.1x3001mm
Housing Material (Face frame/rear shell)	Aluminum/Metal Plate		
Shell color (Face frame/rear shell)	Black&Gray/Black	Black&Gray/Black	Black&Gray/Black
VESA	4-M8 Screw Hole 800mmx600mm	4-M8 Screw Hole 800mmx600mm	4-M8 Screw Hole 1000mmx800mm
Net Weight	68±1KG	92±5KG	110±5KG
Gross Weight	83±1KG	110±5KG	144±5KG

Accessory

Remote Control	x1
Touch Pen	x2
Power Cord	x1
HDMI Cable	x1
TOUCH USB Cable	x1
E-User's Manual	x1
Wall Mount	x1
Mobile Stand(Optional)	x1

Environment

Working Temperature	0°C~40°C
Working Humidity	10%~90%RH
Storage Temperature	-20°C~60°C
Storage Humidity	10%~90%RH
Working Altitude	Below 5000 meters


Warranty

Warranty Time	2 Years
---------------	---------



Disclaimer

1. Due to the influence of many aspects such as configuration and manufacturing process, the actual size/weight of this product may vary. The specification is for reference only, please refer to the actual situation.
2. The product pictures attached to this specification are only for illustrative display, the actual effect (including but not limited to appearance, color, size) may be slightly different, please refer to the actual product.
3. The packaging materials for this product are designed in strict accordance with the storage conditions of this product.
4. Abnormalities caused by extreme weather and long storage time cannot be guaranteed to be completely avoided. Please be informed.
5. Please store in strict accordance with the required storage conditions. Improper storage may cause abnormalities.
6. In case of any situation involving the above modification and update, no prior notice will be given.

Product View-86inch



Product View-98inch



Product View-110inch

